



FF(NPFF)

Serum, plasma, cell lysates, cell culture supernates and other biological fluids

pg/mL

pg/mL

	T	T		
Pre-coated Microplate			C/-	C
Standard (lyophilized)			C/-	C
Standard/Sample Diluent Buffer	mL	mL	C/-	C
Biotinylated-Conjugate ()	μL	μL	C/-	C
Biotinylated Conjugate Diluent	mL	mL	C/-	C
Streptavidin-HRP ()	μL	μL	C/-	C
HRP Diluent	mL	mL	C/-	C
Wash Buffer ()	mL	mL	C/-	C
TMB Substrate Solution	mL	mL	C/-	C(
Stop reagent	mL	mL	?	?





			NPFF				NPFF
						-HRP	
TMB	TMB						
		NPFF		nm		(OD)	



•	C	g	-	-
•	- C	g	-	-
EDTA-Na				
•	PB			

 μL

μL

μL

μL

 μL μL

μL

μL

μL


μL

μL

μL


μL

 μL μL





- -
 -
- pg/mL pg/mL . pg/mL . pg/mL . pg/mL pg/mL pg/mL



- -
 -
- (x) (µL) . - . mL µL
- µL
- (x) (µL) . - .
- mL µL µL

- TMB







.

OD

.

OD

OD

X


Y

OD

OD

curve expert

	.
	.
	.
	.
.	.
.	.
.	.
.	.





●

CV

CV

●

(n)	-	
EDTA (n)	-	
heparin (n)	-	

●

	:	:	:	:
(n)	-	-	-	-
EDTA (n)	-	-	-	-
heparin (n)	-	-	-	-











-
-
-
-
-
-
-
-
-

ELK Biotechnology

027-59760950

elkbio@elkbiotech.cn

