



ZAN

&				
100				
HRP 100				
25				
TMB				



ELK Biotechnology




()



C C




1. 50 5 245 & 50
2. 100 5 495 & 100
3. 1000 5 95 & 20 5
20 245 & 50 1000
4. 100000 5 195 & 40
5 40 245 & 50 5 2000
245 & 50 100000
5. 3 100
6. PBS &



) , (

100 200 37 50 3

, 37





1.

2.

3.



ELK Biotechnology





ELK Biotechnology



●

(): 1

1

(): 3

3

●

ZAN



/

1. 加入待测样品或对照品，充分混匀，室温孵育 30 分钟。 2. 加入生物素化二抗，充分混匀，室温孵育 30 分钟。 3. 加入 Avidin-HRP，充分混匀，室温孵育 30 分钟。 4. 加入 TMB 底物，充分混匀，室温孵育 15 分钟。 5. 加入终止液，充分混匀，室温孵育 5 分钟。 6. 加入终止液，充分混匀，室温孵育 5 分钟。 7. 加入终止液，充分混匀，室温孵育 5 分钟。 8. 加入终止液，充分混匀，室温孵育 5 分钟。		1. 加入待测样品或对照品，充分混匀，室温孵育 30 分钟。 2. 加入生物素化二抗，充分混匀，室温孵育 30 分钟。 3. 加入 Avidin-HRP，充分混匀，室温孵育 30 分钟。 4. 加入 TMB 底物，充分混匀，室温孵育 15 分钟。 5. 加入终止液，充分混匀，室温孵育 5 分钟。 6. 加入终止液，充分混匀，室温孵育 5 分钟。 7. 加入终止液，充分混匀，室温孵育 5 分钟。 8. 加入终止液，充分混匀，室温孵育 5 分钟。
	Avidin-HRP	
		TMB 450nm 650nm

n1Y



		30min
		15-30min
		PH
		(
	NaN ₃	NaN ₃
		TMB 450nm 650nm



/

		,
		,
		10
		,
		,
		,
		,
		200 µL/
		,
		,
	,	,
		,
		,
		3 , 2 (2)



		3 , ,
		, , , ,
		, , , ,
	, ,	, , , ,
	, ,	6min, 3000 rpm
	, ,	, , , ,



027-59760950

elkbio@elkbiotech.cn

